Amendments to the Claims

Please cancel Claims 1-18, 23, 28, 30-32, 40, 44, 47, 52, 54, 59-63, and 65-69. The Claim Listing below will replace all prior versions of the claims in the application:

Claim Listing

1.-18. (Canceled)

- 19. (Original) A method for forming retroreflective sheeting, comprising:
 - a) forming a first plurality of open-faced cube-corner surfaces from a substantially rigid material in a first side of a substrate; and
 - b) forming a second plurality of open-faced cube-corner surfaces from the substantially rigid material in a second side of the substrate.
- 20. (Original) The method of Claim 19, wherein step a) and step b) are carried out at approximately the same time.
- 21. (Original) The method of Claim 19, wherein step a) and step b) are continuously carried out.
- 22. (Original) The method of Claim 19, further comprising the step of forming the sheeting into chips.
- 23. (Canceled)
- 24. (Original) Optical sheeting having a first side and a second side, each side having openfaced cube-corner surfaces.
- 25. (Original) The optical sheeting of Claim 24, wherein the optical sheeting includes thermoplastic and thermoset polymers.

- 26. (Original) The optical sheeting of Claim 25, wherein the optical sheeting includes at least one of acrylic polymers, polyurethane, polyurea, polycarbonate, silicone, metallic acrylate, or diacrylate.
- 27. (Original) The optical sheeting of Claim 24, further comprising an optical coating formed on the surfaces.
- 28. (Canceled)
- 29. (Original) The optical sheeting of Claim 24, wherein the optical sheeting is breakable into chips or flakes.

30.-32. (Canceled)

- 33. (Original) Retroreflective sheeting having a plurality of open-faced cube-corner surfaces provided on a substrate, an optical coating disposed on at least some of the cube-corner surfaces, and a fill coat disposed on at least some of the optical coating, the sheeting including an array of apertures therethrough.
- 34. (Original) The sheeting of Claim 33, further comprising an adhesive layer disposed on the substrate.
- 35. (Original) The sheeting of Claim 34, further comprising a release liner disposed on the adhesive layer.
- 36. (Original) Retroreflective sheeting comprising a plurality of open-faced cube-corner surfaces, an optical coating disposed on at least some of the surfaces, the sheeting including a plurality of apertures therethrough.

- 37. (Original) The sheeting of Claim 36, wherein the retroreflective sheeting includes a substantially transparent polymer.
- 38. (Original) The sheeting of Claim 37, wherein the substantially transparent polymer includes at least one of acrylic, polyester, polyurethane, or polyurea.
- 39. (Original) The sheeting of Claim 36, wherein the cube-corner surfaces are provided on a substrate.
- 40. (Canceled)
- 41. (Original) The sheeting of Claim 39, further comprising an adhesive liner disposed on the substrate.
- 42. (Original) The sheeting of Claim 36, further comprising a fill layer provided on at least a portion of the optical coating.
- 43. (Original) A projection screen comprising a plurality of open-faced cube-corner prisms.
- 44. (Canceled)
- 45. (Original) The projection screen of Claim 43, wherein the plurality of open-faced cubecorner prisms are disposed on a plurality of chips.
- 46. (Original) The projection screen of Claim 43, wherein the screen includes a plurality of one-sided retroreflectors dispersed in a substantially transparent material.
- 47. (Canceled)
- 48. (Original) The projection screen of Claim 45, wherein at least some of the plurality of chips are two-sided open-faced cube-corner chips.

- 49. (Original) The projection screen of Claim 45, wherein at least some of the plurality of chips are one-sided open-faced cube-corner chips.
- 50. (Original) The projection screen of Claim 49, wherein at least a portion of a backside of at least some of the one-sided open-faced chips cube-corner chips includes an optical microstructure.
- 51. (Original) The projection screen of Claim 43, wherein at least a portion of a side of at least some of the one-sided open-faced cube-corner chips is textured.
- 52. (Canceled)
- 53. (Original) The projection screen of Claim 43, wherein at least some of the plurality of open-faced cube-corner prisms have varying prism pitches.
- 54. (Canceled)
- 55. (Original) The projection screen of Claim 43, wherein the plurality of open-faced cubecorner prisms are disposed in a film.
- 56. (Original) The projection screen of Claim 55, wherein a front surface of the film includes a lenticular.
- 57. (Original) The projection screen of Claim 43, further comprising an optical coating disposed on at least some of the plurality of open-faced cube-corner prisms.
- 58. (Original) The projection screen of Claim 43, wherein at least some of the plurality of open-faced cube-corner prisms include a color coating thereon.

59.-63. (Canceled)

64. (Original) A method for forming a projection screen comprising coating a substrate with a liquid that includes a plurality of open-faced cube-corner prisms.

65.-69. (Canceled)

70. (Original) Retroreflective sheeting, comprising:

a plurality of open-faced cube-corner surfaces formed from a substantially rigid material to keep the cube-corner surfaces from flexing, the material including a low index of refraction; and

a coating disposed on substantially all of the cube-corner surfaces, the coating including a high index of refraction such that a difference between the low index of refraction and the high index of refraction is sufficient to cause retroreflection of light impinging on the cube-corner surfaces.

71. (Original) The sheeting of Claim 70, wherein the coating includes submicron or nanoparticles of dielectrics.